



CATALOGUE PAGES



NEW

Isos LED










ISOS LAMP WITH 3 OR 4 LED DOUBLE INTENSITY



The ISOS lamp equips the office of thousand of satisfied users.
Today Manade is pleased to introduce the new LED version of ISOS.
Available with 3 or 4 LED.
Its efficiency grants a "strong" economy of energy compared to the classical lighting sources.
Its colour rendering (IRC) of 93 is remarkable.
The new finishes give an original touch

For more information on this product download the technical sheet on www.manade.com



-  01 White
-  24 Black
-  27 Anthracite grey
-  25 Medium grey
-  29 Silver
-  48 Carbon
-  44 Burr Elm
-  09 Shot Gun

Made in aluminium and ABS
Main lead : 2.5 m.
Assembling double isolation, class 2.
Complies with European standards CE.





The ISOS LED guarantees a light without flickering, with no infra red and UV rays and gives a good colour rendering.

When turned on light is immediately at maximum intensity, LED offer a good resistance to shocks and vibrations, very low heat emission and long life expectancy (approx 50 000 hours).

No maintenance and an effective economy of energy compared to the classical bulbs.



With 4 LED on the light power at 40 cm from work surface is 1100 lux for 9.2 W

Temperature of colour is 3150° K

References

ISOS 3 LED : **IS 3 LED S**

ISOS 4 LED : **IS 4 LED S**



FIXTURES FOR ISOS LAMP

- Flat steel base (weight 2.6 Kg)
- Zamak clamp (opening 80 mm – depth 60 mm)
- Special spigots are available to adapt the lamp to different office furniture systems.